

Tool carriage Eurovision with BLOCK safety system

940EV4BLOCK



Profiles

1mm- **Premium** +

[\(/eng/about-us/materials\)](#)


QualiCoat 

[\(/eng/support/warranty\)](#)

Product features

- material: premium PLUS sheet metal
- central locking system with a lock and folding key
- lock with key included also foam keyring
- new block safety system, prevents opening of more than one drawer at once. When one drawer is opened, all other drawers are locked and cannot be opened.

- oil and acid resistant casters of a diameter of 125mm, one with brake, which blocks spinning and swiveling of the caster
- opening and closing of drawers is very simple due to the uniform solution - drawer handle on the upper side enables users a synchronic grip and opening of a carriage drawer.
- full extension drawers with top quality ball-bearing slides
- drawers with non-slip interior synthetic lining
- drawer closing mechanism prevents unwanted opening of drawers
- wide range of accessories
- coated with eco colour of Qualicoat quality standard
- blind nuts for fixing accessories are mounted on the carriage.
- static load capacity of carriage without casters: 1600kg
- dynamic load capacity of carriages: 500 kg
- maximum capacity of each drawer: 45kg
- 7 drawers (5x L 563 x W 365 x H 70mm, 2x L 563 x W 383 x H 150mm)
- basic dimensions with handle and casters L 800 x W 440 x H 923mm
- total volume of drawers: 140 litres
- drawers compatible with SOS tool trays 1/3, 2/3, 3/3



	L	B	H	L1	H1	
625000	800	440	923	700	768	57000

Retail packaging

	MA	MB	MC	
625000				


Transport packaging

		TA	TB	TC	
625000	1				


Spare parts



Lock with keys



Small drawer



Big drawer



Ball-bearing slide for tool carriage with BLOCK system, set of 1 pair



Set of casters



Swivel caster with brake



Swivel caster



Caster



Synthetic covering for top of carriages 940EV



Synthetic covering for drawers D17, D18 and D20



Synthetic covering for drawer D19



Handle for articles 940EV