



Product Information – R210CMS

Product Code: 046-0003A (230v EU)

Barcode: 0849713071996

Bullet Points:

1. Utilises Evolution multipurpose cutting technology, optimised to cut mild steel, non-ferrous metals, wood and plastic with one blade
2. Powerful 1200 W hi-torque motor, clear and precise angle settings, quick click mitre stops and 0-45° bevel
3. Compact design for easy storage and portability, weighing only 5.8 kg while allowing 125 mm x 55 mm cross cut capacity
4. R210-TCT multi-material blade (24 teeth) included

Description:

The R210CMS utilises RAGE multi-material cutting, which allows this compact machine to cut steel, aluminium and wood (even wood with nails), using just one blade. Cutting through steel produces no heat, no burr and virtually no sparks. The highly portable R210-CMS offers high value and a professional performance, with fast, clean and accurate cuts. With a footprint of only 260 x 393 x 381 mm when stored, ensures easy storage and portability. The R210CMS features clear and precise angle settings, quick click mitre stops, a ambidextrous handle for left and right hand use, a top clamp and extendable fence and a 45° bevel. The optional diamond blade (sold separately) completes the package, enabling you to cut brick, stone, concrete and unglazed tiles. The R210CMS is supplied with a R210-TCT multipurpose blade (24 teeth), with a 210 mm blade diameter and 25.4 mm bore diameter.

Box Contains:

- 1 x R210CMS compound mitre saw (210 mm)
- 1 x R210-TCT multi-material blade (24 teeth)
- 1 x Top hold down clamp
- 1 x 6 mm Blade change allen key
- 1 x Dust bag
- 1 x Instruction manual

Technical Specification:

Machine:

Motor (230-240V ~ 50 Hz):	1200 W
Motor (110V ~ 50 Hz):	1200 W
Speed:	3750 min
Weight:	5.8 Kg
Dust Port Diameter:	35 mm
Tool Dimensions (H x W x L):	260 x 393 x 381 mm
Cable Length:	2 m

Cutting Capacities

Mild Steel Plate - Max Thickness:	6 mm
Mild Steel Box Section - Max Wall Thickness:	4 mm
Wood – Max section:	125 x 55 mm

Maximum Cutting Angles:

Mitre Left:	45°
Mitre Right:	45°
Bevel Left:	0° - 45°

Mitre:	Bevel:	Max Width of Cut:	Max Depth of Cut:
0°	0°	125 mm	55 mm
0°	45°	125 mm	35 mm
45°	0°	85 mm	55 mm
45°	45°	85 mm	35 mm

Blade:	
Diameter:	210 mm
Bore:	25.4 mm
Thickness:	1.7 mm

Product Information – Mitre Saw Stand

Product Code: 005-0001

Barcode: 0849713021106



Bullet Points:

1. Compatible with virtually all makes of mitre saw
2. Folding legs for easy storage/transportation and extendable support arms for long workpieces
3. Height adjustable arms with rollers and end-stops and quick-release brackets
4. Capable of supporting 150 kg
5. 3 Years limited warranty (only valid if purchased in the UK)

Description:

An elegant addition to Evolution's product range complimenting Evolution Mitre Saws, as well as other makes of mitre saw. Easily and quickly set up, with foldable legs for simple storage and transportation. Sturdy and robust this stand can support long workpieces up to 3 m in length and has a maximum workload of 150 kg and weighs 15.5 kg. Key features include quick-release mounting brackets for fast saw removal and height adjustable arms with rollers and end-stops.

Box Contains:

- 1 x Mitre saw stand
- 2 x Saw mounting brackets
- 2 x Work supports
- 2 x Work support brackets
- 6 x Long locking screws
- 1 x Assorted fixings
- 1 x Instruction manual

Technical Specification:

Machine:

Product Width:	110 cm
Product Height:	75 cm
Product Length:	180 cm
Product Weight:	15.5 Kg
Max Supported Weight:	150 Kg

Product Information – WD210 (Wood)

Product Code: FURYBLADE210WD

Barcode: 0849713022622



Bullet Points:

1. Designed specially to cut wood
2. 30 tooth configuration enables fast efficient cuts
3. High grade carbide teeth, offering increased durability
4. Hardened blade body ensures the blade runs truer for longer
5. 210 mm blade diameter and 25.4 mm bore diameter

Description:

Evolution carbide tipped metal cutting saw blade is ideal for cutting wood. Hardened blade body ensures the blade runs truer for longer. 30 tooth configuration enables fast efficient cuts. 25.4mm bore diameter and 210 mm blade diameter. Operates on 3300 rpm speed.

Box Contains:

1 x WD210 Wood TCT blade (30 teeth)

Technical Specification:

Size:	210 mm
Max Speed:	3300 rpm
Bore:	25.4 mm
Kerf:	2 mm
Teeth:	30